

train working

Using whistles

Purpose

To prescribe the rules for using whistles in the Network.

.....

Sounding whistles

The whistles of rail traffic must be used to:

- give audible warning or alarm
- acknowledge handsignals.

Whistles must be sounded:

- if rail traffic explodes Railway Track Signals on the line
- as necessary for safety.

Unless otherwise instructed by signs, whistles must be sounded during approach to:

- level crossings
- shunting movements on adjacent tracks
- crossing or passing movements at sidings and loops
- people or animals on or near the track
- WHISTLE signs
- tunnel entrances and exits.

Using whistles

Whistle codes

If other warning methods are not available, Drivers and Track Vehicle Operators are to sound the following whistle codes.

Code	Meaning
● ● ● ●	When sounded continuously, stop immediately
● ● ●	Rail traffic is about to be propelled

Defective whistles

If all whistles on the leading end of the leading motive power unit become defective during travel, the Train Crew or Track Vehicle Crew must:

- tell the Signaller, and
- if possible, remedy the defect.

Rail traffic with defective whistles that cannot be remedied may continue to travel only to the first suitable location for repair or replacement of the whistle.

If the whistle cannot be repaired or replaced, the motive power unit must be:

- re-marshalled at the first suitable location, or
- promptly worked out of service.

Rail traffic without a working whistle must travel at restricted speed until:

- the whistle is repaired or replaced, or
- the motive power unit is re-marshalled.

Using whistles

Using headlights instead of whistles

If the whistle has failed, a Driver or Track Vehicle Operator must flash the headlight of the leading motive power unit to give visible warning during approach to:

- level crossings
 - people or animals on or near the track
 - other potentially hazardous conditions.
-

Responding to headlight and whistle failure

Rail traffic with neither a working headlight nor a working whistle must travel at restricted speed, and not exceed 25km/h:

- in conditions of low visibility
- over level crossings
- through tunnels and cuttings
- past platforms.

Level crossings

If a level crossing is not fitted with Type F warning equipment, the Train Crew or Track Vehicle Crew of a leading motive power unit with neither a working headlight nor a working whistle must:

- be prepared to stop rail traffic short of the crossing
 - travel over the crossing only if it is clear, and if road and pedestrian traffic has been stopped.
-

train working

Using whistles

Network Procedures

Nil

.....

Effective date

29 April 2017

.....