Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025 UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Airport Li	ine		
NOTE:	When w	orking w	vithin Ya	ard Limits	, Rail Traf	fic may approach	from any
				direction		•	
						. = = 0 = 1.10	
		LOOKO	UT WOI	RKING AF	ROUND PL	ATFORMS	
Lookou	ıt workind				ROUND PL atforms m		itted when:
		g on trac	ks adja	cent to pl	atforms m	ay only be permi	
	• A safe	g on trac place ca	ks adja n easily	cent to pl	atforms m ed (climbi	ay only be permi ng onto or under	a platform
	 A safe n the tracen 	g on trac place ca k must r	ks adja n easily not be c	cent to play be reach considered	atforms m ed (climbi d an easily	ay only be perming onto or under reached safe plant	r a platform ace), or
	 A safe n the tracen 	g on trac place ca k must r place ca	ks adja n easily not be c an be cr	cent to play be reach considered reated, for	atforms med (climbid an easily example,	ay only be perming onto or under reached safe place by implementing	r a platform ace), or
	 A safe n the tracen 	g on trac place ca k must r place ca	ks adja n easily not be c an be cr	cent to play be reach considered reated, for	atforms med (climbid an easily example,	ay only be perming onto or under reached safe plant	r a platform ace), or
	 A safe n the tracen 	g on trac place ca k must r place ca	ks adja n easily not be c an be cr	cent to play be reach considered reated, for	atforms med (climbid an easily example,	ay only be perming onto or under reached safe place by implementing	r a platform ace), or

LOWPLR[Tab] Page 1 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Bankstowr	ı Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

Construction works associated with the Sydney Metro Project may impact on safe places and sighting distances. An onsite risk assessment is essential to ensure compliance with the Network Rules and Procedures.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Chullora B	ranch		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 3 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				City Circ	cle		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

City Circle	City Circle Tunnel Platforms only	000.000	005.892	All Tracks	Insufficient Sighting and Limited Clearance	Lookout Working prohibited in platforms only.	Lookout Working is not permitted in platform areas within the City Circle.
City Circle	Central	000.035	000.481	Down City Outer, Up and Down City Inner	Insufficient Sighting Distance	Insufficient sightig distance and no sfae place can be assessed.	Lookout Working Prohibited.

LOWPLR[Tab] Page 4 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Cronulla L	_ine		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

Cronulla Line Miranda						
Cionula Line Ivilianda	031.348	031.580	Down line	Insufficient Sighting and Limited Clearance	Insufficient sighting distance and no safe place can be accessed	Lookout Working Prohibited LOWPLRIT

Document Owner: Director Network Standards, Systems Quality Sydney Trains

Page 5 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Cronulla Line	Caringbah	031.348	031.588	Up line	Insufficient Sighting and Limited Clearance	Insufficient sighting distance and no safe place can be accessed	Lookout Working Prohibited
Cronulla Line	Caringbah	033.476	034.100	Down line	Insufficient Sighting and Limited Clearance	Insufficient sighting distance and no safe place can be accessed	Lookout Working Prohibited
Cronulla Line	Woolooware	033.476	034.100	Up line	Insufficient Sighting and Limited Clearance	Insufficient sighting distance and no safe place can be accessed	Lookout Working Prohibited

LOWPLR[Tab] Page 6 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Locatio	11	End	Affected	Hazard	Description	Precautions
			East Hills L	-ine		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 7 of 35 Lookout Working Prohibited Locations Register V45.0.xlsx
Last Updated 15 December 2025

UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
			Eastern Subu	rbs Line		
		Start	Start End	Location Start End Affected	Start End Hazard	Location Start End Affected Hazard Description

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 8 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Flemington	Goods		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 9 of 35 NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Illawarra	Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

All Lines Between Oatley at 018.371kms to Sutherland at 024.067kms, then Waterfall at 039.230kms to Unanderra at 088.593 are Bi-Directional. Unanderra to Bomaderry (Nowra) terminations and Unanderra to Lysaghts (Allans Creek Triangle line) is Single Line.

Construction works associated with the Sydney Metro Project may impact on safe places and sighting distances. An onsite risk assessment is essential to ensure compliance with the Network Rules and Procedures.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Illawarra Line		000.620	000.955	Down Suburban	Hit by Train	Inadequate sighting distance	Inadequate sighting distance. Lookout Working not permitted.
Illawarra Line		001.200	001.401	UP Illawarra Local	Hit by Train	No safe place in platform	Inadequate sighting distance. Lookout Working not permitted.
Illawarra Line		001.200	001.467	Down Illawarra Local	Hit by Train	No safe place in platform, inadequate sighting distance	Inadequate sighting distance. Lookout Working not permitted.
Illawarra line		001.636	001.778	Down Illawarra Main	Hit by train	No safe place due to collapsing wall, potholes making it unsafe to walk, loose handrails	Lookout Working no permitted
Illawarra Line		002.263	002.293	Down Illawarra Local	Hit by Train	Inadequate sighting distance	Inadequate sighting distance for required move time. Lookout Working not
Illawarra Line		002.766	002.800	UP Illawarra Local	Hit by Train	No safe place in platform, inadequate sighting distance	Lookout Working no permitted.
Illawarra Line		002.780	002.800	Down Illawarra Local	Hit by Train	No safe place in platform	Lookout Working no permitted.

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Illawarra Line		003.012	003.920	Down Illawarra Local Up Illawarra Main	Hit by Train	Hit by Train	Inadequate sighting distance. Lookout Working not permitted.
Illawarra Line	Tempe	006.385	006.933	All lines	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line		006.997	007.092	Up & Down Illawarra Main	Hit by Train	No Safe Place	Lookout working not permitted
Illawarra Line		007.707	007.800	Down Illawarra Main	Hit by Train	No Safe Place	Lookout working not permitted
Illawarra Line		007.940	008.540	Up Local	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line		007.991	008.085	Down Illawarra Main	Hit by Train	No Safe Place	Lookout working not permitted
Illawarra Line		012.300	012.600	Down Illawarra Main	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line		013.200	013.600	UP Illawarra Local and Down Illawarra Main	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted

Document Owner: Director Network Standards, Systems Quality Sydney Trains

LOWPLR[Tab]

Page 12 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Illawarra Line	Allawah to Hurstville	013.754	015.064	Down Main	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line	Hurstville	014.255	014.698	Up Main Up Local Down Local	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line	Penshurst	016.000	019.246	Down Illawarra Up Illawarra	Hit by Train	Inadequate Sighting and No Safe Place	Lookout working not permitted
Illawarra Line	Heathcote	035.468	035.794	Both	No Safe Place	Struck by Train	Lookout working not permitted
Illawarra Line	Waterfall	041.186	041.461	Both	No Safe Place	Struck by Train	Lookout working not permitted
Illawarra Line		046.400	052.630	Both	No Safe Place	No refuges in cuttings.	Lookout working not permitted
Illawarra Line		047.210	047.475	Both	No Safe Place	Struck by Train	Lookout working not permitted
Illawarra Line		052.630	055.950	Down Main	No Safe Place	No refuges in cuttings.	Lookout working not permitted
Illawarra Line		055.950	058.750	Both	No Safe Place	No refuges in cuttings.	Lookout working not permitted

LOWPLR[Tab] Page 13 of 35

Lookout Working Prohibited Locations Register V45.0.xlsx **UNCONTROLLED WHEN PRINTED**

Last Updated 15 December 2025

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Issued 15 December 2025 2025 Review Date 15 December 2026

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions		
Main North Line									

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

UP & DOWN Main Lines Between Cowan at 049.961kms and Hawkesbury River at 057.062kms, are Bi-Directional.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

					permitted
erowra	044.020	Up Main North line	No Safe Place	No safe place due to the Cutting	Lookout working not permitted

Document Owner: Director Network Standards, Systems Quality Sydney Trains

Page 14 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main North Line	Mt Kuring-Gai to Berowra	043.860	044.724	Down Main North line	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Cowan	048.230	048.380	Up & Down Mai North lines, Up Refuge Loop	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Cowan	048.970	049.100	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Cowan	049.190	049.410	Down Main North line	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Cowan	049.600	049.720	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Cowan	049.800	050.110	Up Main North line	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Boronia	050.110	050.310	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Boronia	050.625	050.750	Both lines	No Safe Place	No Safe Place	Lookout working not permitted

Document Owner: Director Network Standards, Systems Quality Sydney Trains

LOWPLR[Tab] Page 15 of 35

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main North Line	Boronia	051.120	051.200	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Boronia	051.590	051.690	Down Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Boronia	052.340	052.445	Both lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Boronia	054.184	054.244	Up Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	054.274	054.330	Both lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	054.475	054.510	Both Lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	054.510	054.700	Up Main Noth line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	055.170	055.443	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Hawkesbury River	055.690	055.790	Both lines	No Safe Place	No Safe Place	Lookout working not permitted LOWPLR

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main North Line	Hawkesbury River	056.120	056.170	Up Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	056.330	056.770	Both lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Hawkesbury River	056.980	057.050	Up Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Wondabyne	060.000	060.180	Both lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Wondabyne	064.000	064.260	Down Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Wondabyne	064.850	065.078	Down Main North line	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Wondabyne	065.320	065.510	Both lines	No Safe Place	No Safe Place	Lookout working no permitted
Main North Line	Wondabyne	065.690	065.791	Down Main North line	No Safe Place	No Safe Place	Lookout working no permitted

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main North Line	Wondabyne	066.085	066.225	Both lines	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Woy Woy	066.400	066.940	Up Main North line	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Woy Woy	066.400	067.058	Down Main North line	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Woy Woy - Parks Bay Underbridge	073.528	073.603	Both	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Tascott	076.962	077.169	Both	Cutting	No Safe Place	Lookout working not permitted
Main North Line	Ourimbah Creek Bridge	096.831	096.909	Both	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Ourimbah Creek Bridge	096.831	096.909	Both	No Safe Place	No Safe Place	Lookout working not permitted
Main North Line	Dora Creek Underbridge and Station Platforms	126.990	127.325	Both	No Safe Place	No Safe Place on bridge (no refuges) and No Safe Place between platforms	Lookout working not permitted

LOWPLR[Tab] Page 18 of 35 Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025

UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main North Line	Sulphide Junction Signal S123	152.280	152.280	Not Indicated	Safeworking	S123 signal overlap distance for a caution indication is 1592 metres compared to the signals in the rear that have an overlap distance of over 2000 metres for a caution indication.	It is not recommended that S123 signal be used for worksite protection.

LOWPLR[Tab] Page 19 of 35

Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025 UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Main South	Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
- A safe place can be created, for example, by implementing ASB or a higher form
 of protection on an adjacent line.

Main South Line	Villawood	023.880	024.400	Up Main South line	Struck by Train	Insufficient sighting distance	Lookout working not permitted
Main South Line	Villawood	024.400	024.820	Down Main South line	Struck by Train	Insufficient sighting distance	Lookout working not permitted
Main South Line	Canley Vale	027.283	027.700	Up Main South line	Struck by Train	Insufficient sighting distance	Lookout working not permitted

LOWPLR[Tab] Page 20 of 35 Last Updated 15 December 2025

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Main Suburt	oan Line		
Looko	ut working place car	LOOKO g on trac n easily	OUT WO cks adja be reac	direct RKING A cent to p hed (clim	ion. ROUND PL latforms m bing onto	fic may approach ATFORMS ay only be permior under a platforched safe place),	tted when: rm from the
A safe		be crea	ated, for	example	•	nenting ASB or a	
Main Suburban Line		be crea	ated, for	example	e, by impler	nenting ASB or a	higher form

Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025 **UNCONTROLLED WHEN PRINTED**

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main Suburban Line		006.472	006.589	Down Suburban Up Suburban	No Safe Place	Struck by Train	Lookout working not permitted

LOWPLR[Tab] Page 22 of 35

Lookout Working Prohibited Locations Register V45.0.xlsx **UNCONTROLLED WHEN PRINTED**

Last Updated 15 December 2025

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Main West	Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

All Lines Between Edgecombe at 145.182kms to Zig Zag at 150.755kms are Bi-Directional.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

Main West Line	023.410	023.460	Up Main Down Main	No Safe Place	Struck by Train	Lookout working not permitted

LOWPLR[Tab] Page 23 of 35

Issued 15 December 2025 2025

Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main West Line		023.624	023.647	Up Main Down Main Up Suburban Down Suburban	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		023.806	023.826	Up Main Down Main Up Suburban Down Suburban	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		023.987	024.018	Up Main Down Main Up Suburban Down Suburban	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		033.033	034.080	Up Main	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		063.145	063.354	Both	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		063.414	063.485	Both	No Safe Place	Struck by Train	Lookout working not permitted

Document Owner: Director Network Standards, Systems Quality Sydney Trains

LOWPLR[Tab] Page 24 of 35

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main West Line		064.665	064.756	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		067.337	067.476	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		068.919	069.102	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		069.224	069.520	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		087.640	087.831	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		089.484	089.680	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		089.977	090.260	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		091.350	091.647	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line		099.363	099.462	Both	No Safe Place	Struck by Train	Lookout working no permitted
Main West Line	er: Director Network	111.137	111.447	Both	No Safe Place	Struck by Train	Lookout working no permitted LOWPLR

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Main West Line		113.041	113.272	Both	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line		122.157	122.501	Both	No Safe Place	Struck by Train	Lookout working not permitted
Main West Line	Zig Zag Tunnel	145.168	150.937	Both lines	No Safe Place	Zig Zag tunnel has no safe place	Lookout working not permitted
Main West Line		155.691	155.870	Both	No Safe Place	Lithgow Station Platform - No Safe Place in this section of the corridor	Lookout working not permitted

LOWPLR[Tab] Page 26 of 35

Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025 UNCONTROLLED WHEN PRINTED

ROLLED WHEN PRINTED

Issued 15 December 2025 2025
Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Metropolitan	Goods		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

Metropolitan	ARTC/Transport	021.693	022.307	Sefton West	Worksite	Additional requirements for	Work in the Danger
Goods	for NSW Shared			Fork - UP	Protection	Lookout Working within	Zone using the
	Corridor			and Down		Danger Zone in	Lookout Working
				Goods		ARTC/Transport for NSW	method MUST be
						shared corridor	done in daylight
							hours only, for a
							maximum of two
							hours.

LOWPLR[Tab] Page 27 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				North Sh	ore		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction. Construction works associated with the Sydney Metro Project may impact on safe places and sighting distances. An onsite risk assessment is essential to ensure compliance with the Network Rules and Procedures LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

North Shore	Central	000.035	000.481	Down Shore Up Shore	Insuffucuent Sighting Distance	Insufficient Sightin Distance	Lookout working not permitted
North Shore	Central	000.054	000.367	Down Shore	No Safe Place	No Safe Place	Lookout working not permitted

LOWPLR[Tab] Page 28 of 35 NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
North Shore	Waverton	006.600	006.800	Up Shore	No Safe Place	No Safe Place due to cutting	Lookout working not permitted
North Shore	Wollstonecraft	006.880	006.900	Up Shore	No Safe Place	No Safe Place due to steep ballast shoulder	Lookout working not permitted
North Shore	Wollstonecraft	007.000	007.080	Up Shore	No Safe Place	No Safe Place due to cutting	Lookout working not permitted
North Shore	Woollstonecraft	007.380	007.440	Up Shore	No Safe Place	No Safe Place due to cutting	Lookout working not permitted
North Shore	Wollstonecraft, Russell Street Bridge	007.449	007.503	Both	No Safe Place	No safe place	Lookout working not permitted
North Shore	St Leonards	008.290	008.360	Up Shore	No Safe Place	Limited space to create a safe palce	Lookout working not permitted

LOWPLR[Tab] Page 29 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Old Main Sou	uth Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

Old Main South Line	Granville- Merrylands	021.727	022.615	Down Old Main South line	Safeworking	No Safe place	Lookout working not permitted
Old Main South Line	Merrylands- Guildford	023.386	023.555	Down Old Main South line	Safeworking	No Safe place	Lookout working not permitted
Old Main South Line	Merrylands- Guildford	023.386	023.590	Up Old Main South line	Safeworking	No Safe place	Lookout working not permitted

LOWPLR[Tab] Page 30 of 35 Lookout Working Prohibited Locations Register V45.0.xlsx Last Updated 15 December 2025

UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
Old Main South Line	Guildford- Yennora	025.898	026.227	Down Old Main South line	Safeworking	No Safe place	Lookout working not permitted
Old Main South Line	Yennora-Fairfield	29.000	29.400	Down Old Main South line	Safeworking	No Safe place	Lookout working not permitted

LOWPLR[Tab] Page 31 of 35 Lookout Working Prohibited Locations Register V45.0.xlsx
Last Updated 15 December 2025

UNCONTROLLED WHEN PRINTED

Issued 15 December 2025 2025 Review Date 15 December 2026

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Port Kembla	Line		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 32 of 35 Lookout Working Prohibited Locations Register V45.0.xlsx **UNCONTROLLED WHEN PRINTED**

Last Updated 15 December 2025 NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Issued 15 December 2025 2025 Review Date 15 December 2026

	Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
--	----------	-----------------------	-------	-----	-------------------	--------	-------------	-------------

Richmond Line

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction. Schofields at 044.010kms to East Richmond at 059.506kms is Single Line.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 33 of 35 NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				South West R	Pail I ink		
				Could West N	an Liir		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
 - A safe place can be created, for example, by implementing ASB or a higher form of protection on an adjacent line.

LOWPLR[Tab] Page 34 of 35

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction

Corridor	Station / Location	Start	End	Lines Affected	Hazard	Description	Precautions
				Waverton to Lav	ender Bay		

NOTE: When working within Yard Limits, Rail Traffic may approach from any direction.

LOOKOUT WORKING AROUND PLATFORMS

Lookout working on tracks adjacent to platforms may only be permitted when:

- A safe place can easily be reached (climbing onto or under a platform from the track must not be considered an easily reached safe place), or
- A safe place can be created, for example, by implementing ASB or a higher form
 of protection on an adjacent line.

LOWPLR[Tab] Page 35 of 35