

DOCUMENT NO.	D2023/10030
WORK DESCRIPTION	Routine Maintenance Activities
WPP Number	CN19C 1001
SCOPE:	<p>This SWI is applicable for the worksite protection arrangements using ASB concerning routine network maintenance, defect management and repair of assets within the limits specified below and in the attached plan.</p> <p>Work activities include:</p> <ul style="list-style-type: none"> • Routine preventative and corrective work such as inspections and maintenance as appropriate for the type of protection being applied as part of this plan.
AUTHORISATIONS:	Protection Officer: Protection Officer Level 1 or higher
SAFETY CONTROLS - Absolute Signal Blocking (ASB) arrangements:	<p>ASB established to exclude rail traffic on the Up Main line is at a fixed worksite location from HR112UM Signal to HR109UM Signal.</p> <p>For reference only: The assessed ASB protection is:</p> <ul style="list-style-type: none"> • HR118UM, HR112UM, HR109UM, HR103UM Signals at STOP with blocking facilities applied. <p>Absolute Signal Blocking on the Down Main line is at a fixed worksite location from HR107DM Signal to HR110DM Signal</p> <p>For reference only: The assessed ASB protection is:</p> <ul style="list-style-type: none"> • HR101DM, HR107DM, HR110DM, HR116DM Signals at STOP with blocking facilities applied.
PRESTART REQUIREMENTS:	<p>Protection Officer assessment checklist must be completed before instructions in this SWI are followed.</p> <p>Tools and equipment required:</p> <ul style="list-style-type: none"> • Protection Officer requires a phone to contact the Signaller
FURTHER INFORMATION:	<p><i>NWT 300 Planning work in the Rail Corridor</i></p> <p><i>NWT 308 Absolute Signal Blocking</i></p> <p><i>NWT 310 Lookout Working</i></p> <p><i>NPR 703 Using Absolute Signal Blocking</i></p> <p><i>NPR 751 Calculating Minimum Warning Time</i></p> <p><i>NGE 200 Walking in the Danger Zone</i></p> <p><i>Lookout Working Prohibited Locations Register</i></p> <p><i>NLA 310</i></p>

Protection Officer assessment checklist		
Protection Officer's name:		Yes (Tick if Yes)
This document has not expired 12 months beyond the issue date.		
On-site safety assessment has been completed and additional hazards and controls recorded on the pre-work briefing (Page 3).		
SWI details and protection arrangements have been reviewed and validated for the assessed worksite location.		
Corridor Safety Number	Protection Officer Signature	Date

Warning


If an above item does not apply, the Protection Officer must not use this Safe Work Instruction. A new worksite protection plan must be completed in accordance with NRF 014 Worksite Protection Pre-work briefing and NRF 015 Worksite Protection Plan.

Worksite Protection Pre-work Briefing

Briefing date: / /

Protection Officer details

name	signature	contact No.
------	-----------	-------------

Work location: **Boronia**Scope of work: **Routine signal maintenance activities**Worksite protection: **ASB** Refer to Worksite Protection Plan for details

Hazards (e.g. environment, plant, equipment, human error)	Controls (to be implemented to eliminate or reduce the risk to the lowest practicable level)	Person responsible for Control
Approaching rail traffic	ASB implemented. Workers to remain within worksite limits.	Protection Officer
Adjacent live lines	Designated work and walk areas as instructed by the Protection Officer. Workers must remain within the ASB nominated worksite location limits whilst work is being performed.	Protection Officer
Access to / Egress from worksite	Protection Officer will assess and instruct when it is safe for workers to use <i>NGE 200 Walking in the Danger Zone</i> to move to and from the worksite or safe place.	All
Mobile phone distraction	Mobile phone usage is not allowed in the Danger Zone. Mobile phones may be used only in a safe place after informing the Protection Officer.	All



A final site inspection has been conducted immediately before commencing work, and any new hazards and controls have been included.

Workplace Supervisor details

Yes the Workplace Supervisor acknowledges that the Protection Officer will arrange worksite protection as required.

Participant acknowledgement

NOTE: Recipients of the briefing are to question the Briefer if they don't understand any part of this briefing.

All workers listed below acknowledge that they:

1. hold the applicable and current Rail Safety Worker Authorisation
2. have been briefed on the identified hazards and controls
3. have been briefed on the risks from adjacent lines and/or worksites
4. have been briefed on the planned worksite protection
5. understand the limits of the worksite
6. have been briefed on the contents of the Worksite Protection Plan
7. have been shown the worksite protection diagram or map

Safe Work Instruction**ASB Worksite Protection for Boronia routine signals maintenance****Worksite Protection Plan – Absolute Signal Blocking****1. ASB request – Protection Officer Details**

name	signature	contact No.
RSW or RIW No.	designation	Planned Duration

Type of work:

2. Worksite location

on the	Up Main Line	from	HR112 UM Signal	to	HR109 UM Signal
on the	Down Main Line	from	HR107 DM Signal	to	HR110 DM Signal

3. Protection to be used

Signal(s) at STOP with blocking facilities applied	Points secured
--	----------------

Protection is required from other Signallers at

Location / panel	Location / panel
------------------	------------------

4. AssurancesAll points of entry into the affected portion of track are protected and blocking facilities applied The last rail traffic to pass rail traffic ID The last known location of rail traffic is locationConfirm that there is no rail traffic between the protection and the worksite **5. Authorisation**

Authorised by Signaller

name	Hornsby North panel	hr	/ /
------	---------------------	----	-----

Protection Number	Notes
-------------------	-------

6. Temporarily Suspending ASB

Provide the name and worksite location <input type="checkbox"/>	Provide the name and worksite location <input type="checkbox"/>	Provide the name and worksite location <input type="checkbox"/>
Workers and equipment are clear of the Danger Zone <input type="checkbox"/>	Workers and equipment are clear of the Danger Zone <input type="checkbox"/>	Workers and equipment are clear of the Danger Zone <input type="checkbox"/>
Provide protection number <input type="checkbox"/>	Provide protection number <input type="checkbox"/>	Provide protection number <input type="checkbox"/>
ASB suspended at <input type="checkbox"/> hr	ASB suspended at <input type="checkbox"/> hr	ASB suspended at <input type="checkbox"/> hr

7. Re-establish ASB assurances

The worksite location is identical <input type="checkbox"/>	The worksite location is identical <input type="checkbox"/>	The worksite location is identical <input type="checkbox"/>
All points of entry into the affected portion of track are protected and blocking facilities applied <input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied <input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied <input type="checkbox"/>
The last rail traffic to pass the protection was <input type="checkbox"/> rail traffic ID	The last rail traffic to pass the protection was <input type="checkbox"/> rail traffic ID	The last rail traffic to pass the protection was <input type="checkbox"/> rail traffic ID
The last known location of rail traffic is <input type="checkbox"/> location	The last known location of rail traffic is <input type="checkbox"/> location	The last known location of rail traffic is <input type="checkbox"/> location
There is no approaching rail traffic between the protection and the worksite <input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite <input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite <input type="checkbox"/>
ASB re-established at <input type="checkbox"/> hr	ASB re-established at <input type="checkbox"/> hr	ASB re-established at <input type="checkbox"/> hr
Protection Number <input type="checkbox"/>	Protection Number <input type="checkbox"/>	Protection Number <input type="checkbox"/>

8. Ending

Provide name and worksite location <input type="checkbox"/>	Workers and equipment clear of the Danger Zone <input type="checkbox"/>	Provide protection number <input type="checkbox"/>	Ended at <input type="checkbox"/> hr
---	---	--	--------------------------------------

6. Temporarily Suspending ASB

Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>
Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>
Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>
ASB suspended at	hr	ASB suspended at	hr	ASB suspended at	hr

7. Re-establish ASB assurances

The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>
All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>
The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID
The last known location of rail traffic is	location	The last known location of rail traffic is	location	The last known location of rail traffic is	location
There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>
ASB re-established at	hr	ASB re-established at	hr	ASB re-established at	hr
Protection Number		Protection Number		Protection Number	

6. Temporarily Suspending ASB


Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>
Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>
Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>
ASB suspended at	hr	ASB suspended at	hr	ASB suspended at	hr

7. Re-establish ASB assurances


The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>
All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>
The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID
The last known location of rail traffic is	location	The last known location of rail traffic is	location	The last known location of rail traffic is	location
There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>
ASB re-established at	hr	ASB re-established at	hr	ASB re-established at	hr
Protection Number		Protection Number		Protection Number	

INSTRUCTIONS:	<ol style="list-style-type: none">1. Workers enter the rail corridor2. Protection Officer briefs workers about the worksite protection arrangements.3. Protection Officer contacts the Signaller at Hornsby North Signal Box to request ASB.4. After ASB has been authorised. start work within the limits of the nominated worksite location.5. After work is complete, workers move to a safe place.6. Protection Officer contacts the Signaller at Hornsby North Box to end ASB.7. All workers egress the rail corridor
ADDITIONAL DETAILS	<p><u>Suspending ASB</u></p> <p>If the ASB is required to be suspended, the Protection Officer must make sure all workers and equipment are clear of the Danger Zone and are in a safe place before suspending the ASB.</p>

Diagram



Continued



Protection Officer's diary