

ASB Worksite Protection for East Hills Routine Network Maintenance Activities

WORK DESCRIPTION	Routine network maintenance activities
WPP NUMBER	SW17C 10082
SCOPE	<p>This SWI is applicable for the worksite protection arrangements using ASB concerning routine network maintenance, defect management and repair of assets within the limits specified below and in the attached plan.</p> <p>Work activities include:</p> <ul style="list-style-type: none"> Routine preventative and corrective work such as inspections and maintenance as appropriate for the type of protection being applied as part of this plan.
AUTHORISATIONS:	<p>Protection Officer: Protection Officer Level 1 or higher</p> <p>Lookout: Hand signaller Level 1 or higher, Protection Officer Level 1 or higher</p>
SAFETY CONTROLS: Absolute Signal Blocking (ASB) arrangements:	<p>ASB established to exclude rail traffic on the</p> <ul style="list-style-type: none"> Up East Hills Line between EH8 Signal and EH14.42 Signal. Down East Hills Line between EH5 Signal and EH15.05 Signal. East Hills Turnback Road between EH14.42 Signal and End of Terminal Line <p>For reference only.</p> <p>The assessed ASB protection is:</p> <ul style="list-style-type: none"> EH12 and EH8 Signals at STOP with blocking facilities applied on the Up East Hills Line. EH1 and EH5 Signals at STOP with blocking facilities applied on the Down East Hills Line. Note: Turnback road EAST HILLS must not be occupied by rail traffic.
PRESTART REQUIREMENTS:	<p>Protection Officer assessment checklist must be completed before instructions in this SWI are followed.</p> <p>Tools and equipment required:</p> <ul style="list-style-type: none"> Protection Officer requires a phone to contact the Signaller Lookouts require a high-visibility arm sleeve and a whistle / horn
FURTHER INFORMATION:	<p><i>NWT 300 Planning work in the Rail Corridor</i></p> <p><i>NWT 308 Absolute Signal Blocking</i></p> <p><i>NPR 703 Using Absolute Signal Blocking</i></p> <p><i>NGE 200 Walking in the Danger Zone</i></p> <p>NLA 510 - Sydenham to Glenfield</p>

Protection Officer assessment checklist		
Protection Officer's name:		Yes (Tick if Yes)
This document has not expired 12 months beyond the issue date.		
On-site safety assessment has been completed and additional hazards and controls recorded on the pre-work briefing (Page 3).		
SWI details and protection arrangements have been reviewed and validated for the assessed worksite location.		
Corridor Safety Number	Protection Officer Signature	Date

**Warning:**

If an above item does not apply, the Protection Officer must not use this Safe Work Instruction. A new worksite protection plan must be completed in accordance with NRF 014 Worksite Protection Pre-work briefing and NRF 015 Worksite Protection Plan.

Worksite Protection Pre-work Briefing

Briefing date:

/ /

Protection Officer Details

name

signature

contact no.

Work location:

East Hills

Scope of work:

Routine network maintenance activities

Worksite protection:

ASB

Refer to Worksite Protection Plan for details

Hazards (e.g. Site specific hazards identified, including physical environment, human errors, plant and equipment)	Controls (to be implemented to eliminate or reduce the risk to the lowest practicable level)	Person responsible for Control
Approaching rail traffic	ASB implemented. Workers to remain within worksite limits.	Protection Officer
Adjacent live lines	Designated work and walk areas as instructed by the Protection Officer. Workers must remain within the ASB nominated worksite location limits whilst work is being performed.	Protection Officer
Access to / Egress from worksite	Protection Officer will assess and instruct when it is safe for workers to use NGE 200 Walking in the Danger Zone to move to and from the worksite or safe place.	All
Mobile phone distraction	Mobile phone usage is not allowed in the Danger Zone. Mobile phones may be used only in a safe place after informing the Protection Officer.	All

☐

A final site inspection has been conducted immediately before commencing work, and any new hazards and controls have been included.

Workplace Supervisor Details

name	signature	contact No.
------	-----------	-------------

Yes ☐ the Workplace Supervisor acknowledges that the Protection Officer will arrange worksite protection as required.

Participant Acknowledgment

NOTE: Recipients of the briefing are to question the Briefer if they don't understand any part of this briefing.

All workers listed below acknowledge that they:

- | | |
|--|--|
| 1. hold the applicable and current Rail Safety Worker Authorisation | 4. have been briefed on the planned worksite protection |
| 2. have been briefed on the identified hazards and controls | 5. understand the limits of the worksite |
| 3. have been briefed on the risks from adjacent lines and/or worksites | 6. have been briefed on the contents of the Worksite Protection Plan |
| | 7. have been shown the worksite protection diagram or map |

[illegible]

Worksite Protection Plan – Absolute Signal Blocking**1. ASB Request – Protection Officer Details**

name	signature	contact no.
RSW or RIW no.	designation	Planned Duration

Type of work: **Routine network maintenance activities****2. Worksite Location**

On the	Up East Hills line	from	EH8 Signal	to	EH14.42 Signal
On the	Down East Hills Line	from	EH5 Signal	to	EH15.05 Signal
On the	Turnback Road East Hills	from	EH14.42 Signal	to	End Terminal Line

3. Protection to be used

Signal(s) at STOP with blocking facilities applied	
Protection is required from other Signallers at	Location / panel
	Location / panel

4. AssurancesAll points of entry into the affected portion of track are protected and blocking facilities applied ☐

The last rail traffic to pass the protection was	rail traffic ID	The last known location of rail traffic is	location
--	-----------------	--	----------

Confirm that there is no rail traffic between the protection and the worksite ☐**5. Authorisation**

Authorised by Signaller

	Revesby panel 02 85683467	hr	/ /
--	---------------------------	----	-----

Protection Number		Notes	
-------------------	--	-------	--

6. Temporarily Suspending ASB					
Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>	Provide the name and worksite location	<input type="checkbox"/>
Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>	Workers and equipment are clear of the Danger Zone	<input type="checkbox"/>
Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>	Provide protection number	<input type="checkbox"/>
ASB suspended at	hr	ASB suspended at	hr	ASB suspended at	hr
7. Re-establish ASB assurances					
The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>	The worksite location is identical	<input type="checkbox"/>
All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>	All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/>
The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID
The last known location of rail traffic is	location	The last known location of rail traffic is	location	The last known location of rail traffic is	location
There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>
ASB re-established at	hr	ASB re-established at	hr	ASB re-established at	hr
Protection No		Protection No		Protection No	

8. Ending

Provide name and worksite location ☐ Workers and equipment clear of the Danger Zone ☐ Provide protection number ☐ Ended at hr

6. Temporarily Suspending ASB					
Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
ASB suspended at	hr	ASB suspended at	hr	ASB suspended at	hr
7. Re-establish ASB assurances					
The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>	The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>	The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>
The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID
The last known location of rail traffic is	location	The last known location of rail traffic is	location	The last known location of rail traffic is	location
There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>
ASB re-established at	hr	ASB re-established at	hr	ASB re-established at	hr
Protection No		Protection No		Protection No	

Notes

--

6. Temporarily Suspending ASB					
Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Provide the name and worksite location Workers and equipment are clear of the Danger Zone Provide protection number	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
ASB suspended at	hr	ASB suspended at	hr	ASB suspended at	hr
7. Re-establish ASB assurances					
The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>	The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>	The worksite location is identical All points of entry into the affected portion of track are protected and blocking facilities applied	<input type="checkbox"/> <input type="checkbox"/>
The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID	The last rail traffic to pass the protection was	rail traffic ID
The last known location of rail traffic is	location	The last known location of rail traffic is	location	The last known location of rail traffic is	location
There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>	There is no approaching rail traffic between the protection and the worksite	<input type="checkbox"/>
ASB re-established at	Hr	ASB re-established at	hr	ASB re-established at	hr
Protection No		Protection No		Protection No	



INSTRUCTIONS:	<ol style="list-style-type: none"> 1. Workers enter the rail corridor via access gate noted in images 5,6,7,8 (Note image 6 if larger vehicles). 2. Protection Officer briefs workers about the worksite protection arrangements. 3. Protection Officer contacts the Signaller at Revesby Panel to request ASB. 4. After ASB has been authorised, start work within the limits of the nominated worksite location. 5. Protection Officer instruct workers to move and remain in the safe place when ASB suspension is required. 6. Workers immediately move to safe place when warned 7. Repeat steps 4 – 6 until work is completed. 8. After work is complete, workers move to a safe place. 9. Protection Officer contacts the Signaller at Revesby Panel to end ASB. 10. All workers egress the rail corridor via access gate.
ADDITIONAL DETAILS	<p>Suspending ASB</p> <p>If the ASB is required to be suspended, the Protection Officer must make sure all workers and equipment are clear of the Danger Zone and are in a safe place before suspending the ASB.</p>
IMAGES:	<div data-bbox="421 779 833 1296">  <p>Image 1 View of worksite towards East Hills station facing the Down direction.</p> </div> <div data-bbox="938 779 1343 1296">  <p>Image 2: View of worksite towards East Hills station facing the Down direction.</p> </div>



Image 3: View of worksite towards **Panania** station facing the Up direction.



Image 4: View of worksite towards **Panania** station Facing the Up direction.



Image 5 : M25 23.827U .Gate adjacent 15 Forest Rd, Up side at the city end of East Hills Station



Image 6 M25 23.590U. Located on Park Road.
Wider Access for trucks or larger vehicles



Image 7 M25 23.801D. Opposite 61 Lehn Rd. City end of East Hills.



Image 8 M25 23.633D Gate on Lehn Rd on the down side city end on East Hills Station

[illegible]