

Form Procedures

NPR 008 Using a Pilot Staff Notice (PSN)

Description

This document describes how a Pilot Staff Notice must be compiled, issued, cancelled, fulfilled and managed.

Not what you are looking for? See more [Form Procedures](#)

Introduction

NRF 008 Pilot Staff Notice (PSN) is used to give details about the pilot staff working arrangements to Drivers or Track Vehicle Operators.

Signallers issue a separate PSN for every movement.

Numbering forms

Signallers issuing a Pilot Staff Notice must number the form consecutively on a pad-by-pad basis.

Mandatory items

The following items must be completed:

- 1 PSN Number
- 2 Pilot staff working is authorised
- 4 The last train
- 12 End of pilot staff working section
- 13 Issued to
- 14 Issued by

Item 2 – Pilot staff working is authorised

Record the lines to be used for pilot staff working and the locations that mark the limits of travel on each line.

The details in this item should be the same as item 2 on *NRF 008 Pilot Staff Working Introduction*.

Form Procedures

NPR 008 Using a Pilot Staff Notice (PSN)

Item 12 – End of pilot staff working section

Confirm if the end of the pilot staff working section will be defined by a signal or a **STOP** sign, and:

- tick the check box for the item that applies
- put a cross in the other check box .

If a signal is used as the end of the section, give the designation, number, and location.

If a **STOP** sign is used as the end of the section, give the location.

Optional items

The following items are optional:

3 Half-staff

5 Active control level crossings

6 Block posts

7 **WARNING** signs

8 Worksites

9 Facing points

10 Signals at **STOP**

11 Special instructions and additional information

Review each item, and:

- put a cross in the numbered box if the item does not apply in this instance, or
- tick the numbered box if the item applies in this instance and complete the details.

Item 8 – Worksites

If the item applies, tick the numbered box and complete the details.

If during pilot staff working, rail traffic has to pass six or fewer worksites, complete the worksite details.

Form Procedures

NPR 008 Using a Pilot Staff Notice (PSN)

If rail traffic has to pass more than six worksites:

- tick the check box beside 'There are more than six worksites', and
- do not give any details of the worksites on the PSN, and
- give details about the worksites on an *NRF 011 Worksite Warning*.

Item 9 – Facing points

If there are points that need to be set and secured, tick the numbered box **9** and complete the details.

Item 10 – Signals at STOP

If authorisation is not given to pass signals at **STOP**, put a cross in the numbered box **10**.

If permission is given to pass signals at **STOP** without further authorisation:

- tick the numbered box **10**, and
- detail the signals. The signals must not include signals used as a block post location, and
- give full details of the first operating signal to be obeyed.

Item 11 – Special instructions and additional information

If the item applies, tick the numbered box **11** and record information about special instructions or additional information such as:

- additional **WARNING** signs
- other speed restrictions
- other conditions.

Form Procedures

NPR 008 Using a Pilot Staff Notice (PSN)

FIGURE 1: NRF 008 Pilot Staff Notice (PSN)



Pilot Staff Notice (PSN) – NRF 008

1	PSN Number	<input type="text"/>						
2	Pilot staff working is authorised on the	UP	DN	line	from	<input type="text"/> location	to	<input type="text"/> location
		UP	DN	line	from	<input type="text"/> location	to	<input type="text"/> location
		UP	DN	line	from	<input type="text"/> location	to	<input type="text"/> location
		UP	DN	line	from	<input type="text"/> location	to	<input type="text"/> location
		(cross out if not applicable)						
3	Half-staff for the other end of the section has been removed and secured at	<input type="text"/> location/km						
4	The last train cleared	<input type="text"/> location	at	<input type="text"/> hr				
5	Active control level crossings are protected and Handsignalers provided. They are located at:	<input type="text"/> km	<input type="text"/> km	<input type="text"/> km	<input type="text"/> km	<input type="text"/> km	<input type="text"/> km	<input type="text"/> km
6	Block posts are located at:	<input type="text"/> location/km <input type="text"/> location/km <input type="text"/> location/km						
7	Warning signs are located at:	<input type="text"/> location/km <input type="text"/> location/km <input type="text"/> location/km						
8	Worksites are located on the adjacent line	from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		from	<input type="text"/> location/km	to	<input type="text"/> location/km	a maximum speed of	<input type="text"/> km/h	applies
		<input type="checkbox"/> There are more than six worksites. See NRF 011 Worksite Warning form.						
9	Facing points you are instructed to set and secure:	<input type="text"/> pts/km	<input type="text"/> pts/km	<input type="text"/> pts/km	<input type="text"/> pts/km	<input type="text"/> pts/km	<input type="text"/> pts/km	<input type="text"/> pts/km
10	Signals at STOP you are authorised to pass:	<input type="text"/> Sig	<input type="text"/> Sig	<input type="text"/> Sig	<input type="text"/> Sig	<input type="text"/> Sig	<input type="text"/> Sig	<input type="text"/> Sig
	The first operating signal you must obey is	<input type="text"/> Sig designation		<input type="text"/> Sig	<input type="text"/> km			
11	Special instructions and additional information	<input type="text"/>						
12	End of the pilot staff working section is indicated by:							
	<input type="checkbox"/> Signal	<input type="text"/> Sig designation	<input type="text"/> Sig	<input type="text"/> km				
	<input type="checkbox"/> STOP sign	<input type="text"/> location/km						
13	Issued to Driver/Track Vehicle Operator							
	name	<input type="text"/>					rail traffic ID	<input type="text"/>
14	Issued by Signaller							
	name	<input type="text"/> location/panel	<input type="text"/> hr	<input type="text"/> / /				

© Sydney Trains 2019
NRF 008 V 4.0

Related Documents

NRF-008-Pilot-Staff-Notice-PSN.pdf

Form Procedures

NPR 008 Using a Pilot Staff Notice (PSN)