

Procedures

NPR 013 Using a Temporary Rail Bond Approval Form

Description

This document describes how a Temporary Rail Bond Approval must be compiled, issued, cancelled, fulfilled and managed.

Not what you are looking for? See more [Procedures](#)

Introduction

Only a Signals Engineer or delegate may authorise the use of temporary rail bonds.

The Signals Engineer or delegate use an *NRF 013 Temporary Rail Bond Approval* to record this approval.

Numbering forms

The Signals Engineer or delegate authorising the temporary rail bond approval must number the form consecutively on a *pad-by-pad* basis.

Mandatory items

All items must be completed:

- 1 Reference Number
- 2 Temporary rail bond details
- 3 Reason for temporary rail bond
- 4 Affected equipment
- 5 Requested by
- 6 Approved by

Procedures

NPR 013 Using a Temporary Rail Bond Approval Form

FIGURE 1: NRF 013 Temporary Rail Bond Approval

Temporary Rail Bond Approval – NRF 013

1	Reference Number <input style="width: 150px;" type="text"/>																								
2	Temporary rail bond details <input style="float: right;" type="text"/> location from <input style="width: 150px;" type="text"/> to <input style="width: 150px;" type="text"/> <input style="width: 50px; margin-right: 10px;" type="text"/> hr <input style="width: 40px; margin-right: 10px;" type="text"/> / <input style="width: 40px;" type="text"/> / <input style="width: 40px;" type="text"/>																								
3	Reason for temporary rail bond <input style="width: 100%; height: 20px;" type="text"/> <input style="width: 100%; height: 20px;" type="text"/>																								
4	Affected equipment <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> </table>																								
5	Requested by <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> name</td> <td style="width: 30%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> Depot/location</td> <td style="width: 10%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> hr</td> <td style="width: 10%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/></td> </tr> </table>	<input style="width: 90%;" type="text"/> name	<input style="width: 90%;" type="text"/> Depot/location	<input style="width: 90%;" type="text"/> hr	<input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/>																				
<input style="width: 90%;" type="text"/> name	<input style="width: 90%;" type="text"/> Depot/location	<input style="width: 90%;" type="text"/> hr	<input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/>																						
6	Approved by Signals Engineering Representative <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> name</td> <td style="width: 30%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> Depot/location</td> <td style="width: 10%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> hr</td> <td style="width: 10%; border-bottom: 1px solid black;"><input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/></td> </tr> </table>	<input style="width: 90%;" type="text"/> name	<input style="width: 90%;" type="text"/> Depot/location	<input style="width: 90%;" type="text"/> hr	<input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/>																				
<input style="width: 90%;" type="text"/> name	<input style="width: 90%;" type="text"/> Depot/location	<input style="width: 90%;" type="text"/> hr	<input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/> / <input style="width: 90%;" type="text"/>																						

© Sydney Trains 2019
NRF 013 V 4.0

Related Documents

NRF-013-Temporary-Rail-Bond-Approval.pdf

Procedures

NPR 013 Using a Temporary Rail Bond Approval Form